QITIANMEI

PRODUCT COLLECTION / 2026

Aluminum Interior Doors

Door designs, application views and frame systems.



DESIGN / CONSTRUCTION / SPECIFICATION

ALUMINUM HONEYCOMB INTERIOR DOORS

SELECT THE FRAME

Find your door system.

Choose the frame appearance and opening arrangement, then select a leaf design.

01 **40 matching frame**

Slim visible frame; coordinated frame and leaf finishes.

02 **68 matching frame**

Integrated and split frame constructions.

03 **Flush outer face / inward swing**

A flush outer appearance with inward opening.

04 **Concealed frame**

Wall-integrated appearance; inward and outward systems.

05 **30 / 40 narrow or magnetic-seal**

Narrow-frame and magnetic perimeter-seal configurations.

06 **40 frame / 1.4 mm profile wall**

A separate 50 mm leaf configuration.

07 **Single-sided casing**

Honeycomb and coordinated glass-leaf options.

08 **60-series decorative facing**

Matching frame with decorative leaf-facing choices.

Qitianmei Metal Products Co., Ltd.

Product illustrations show design and construction choices. Confirm size, facing, frame, swing and hardware as one door-set specification.

DOOR ANATOMY

See what is inside.

An aluminum honeycomb core works with the leaf skins, perimeter members and selected hardware.

1. Door-frame head and jambs
2. Leaf perimeter reinforcement
3. Aluminum corner connectors
4. Rear aluminum face sheet
5. Aluminum honeycomb core
6. Front aluminum face sheet
7. Hinges
8. Lever handle and separate key escutcheon



Wood-grain appearance is a decorative finish. The core shown is aluminum honeycomb; the front and rear aluminum sheets are separate components.

Exploded construction illustration. Bonds and small hardware are simplified; final components follow the selected configuration.

FACE CONSTRUCTION

Choose the facing for the design.

Door-leaf thickness, facing thickness and frame-profile wall thickness are different dimensions.

1.0 mm aluminum sheet

Aluminum face-sheet option in the matching-frame and selected honeycomb-leaf systems.

Aluminum-faced 2.8 mm SPC

An alternative decorative face construction. The 2.8 mm value describes the SPC board.

8 mm decorative facing

Shown with concealed doors. The wall cladding and leaf facing are separate components.

4 mm facing

Shown with the magnetic-seal detail. Facing composition is confirmed in the order.

Carbon-crystal decorative panel

A decorative facing on a honeycomb leaf; use the dedicated 60-series finish palette.

8 mm glass

A separate framed glass-leaf option, shown in the coordinated glazed-door section.

Select the facing and core as a combination. Color matching, printing and decorative details follow the approved sample.

Qitianmei Metal Products Co., Ltd.

QTM-F40M

40 slim matching frame

A cutaway view of the selected frame and door-leaf construction.

Component guide

- Front frame profile
- Rear frame profile
- Perimeter seal
- Hinge
- Leaf perimeter member
- Aluminum honeycomb core
- Leaf face / decorative finish



Door-leaf thickness

45 mm

Front frame width / wall	40 mm / 1.3 mm
Rear frame width / wall	40 mm / 1.8 mm
Frame overlap on wall	23 mm
Face options	1.0 mm aluminum / aluminum-faced 2.8 mm SPC

Illustrative cutaway. Dimensions above refer to this configuration; confirm the final order drawing and hardware.

MATCHING FRAME / FLAT PANEL

Flat-panel collection

Select a design reference, then confirm the finish, dimensions and hardware.



QTM-ID-8000

Light wood grain / flat panel



QTM-ID-8000

Walnut / flat panel

Frame, finish and facing selected together. Printed motifs, inserts, glazing and ventilation details follow the approved sample.

QTM-F40M / 40 SLIM FRAME

40 matching-frame collection

Select a design reference, then confirm the finish, dimensions and hardware.



QTM-ID-8011

Sand-tone wood grain



QTM-ID-8012

Gray pearwood



QTM-ID-8013

Misty gray

Frame, finish and facing selected together. Printed motifs, inserts, glazing and ventilation details follow the approved sample.

Qitianmei Metal Products Co., Ltd.

QTM-F40M / 40 SLIM FRAME

40 matching-frame collection

Select a design reference, then confirm the finish, dimensions and hardware.



QTM-ID-8017

Porcelain white



QTM-ID-8015

Misty gray



QTM-ID-8016

Red oak

Frame, finish and facing selected together. Printed motifs, inserts, glazing and ventilation details follow the approved sample.

Qitianmei Metal Products Co., Ltd.

QTM-F40M / 40 SLIM FRAME

40 matching-frame collection

Select a design reference, then confirm the finish, dimensions and hardware.



QTM-ID-8018

Sand-tone wood grain



QTM-ID-8019

Vintage red wood grain



QTM-ID-8020

Dark walnut

Frame, finish and facing selected together. Printed motifs, inserts, glazing and ventilation details follow the approved sample.

QTM-F40M / 40 SLIM FRAME

40 matching-frame collection

Select a design reference, then confirm the finish, dimensions and hardware.



QTM-ID-8021

Warm taupe



QTM-ID-8022

Coffee-gray teak



QTM-ID-8023

Warm taupe

Qitianmei Metal Products Co., Ltd.

Frame, finish and facing selected together. Printed motifs, inserts, glazing and ventilation details follow the approved sample.

QTM-F40M / 40 SLIM FRAME

40 matching-frame collection

Select a design reference, then confirm the finish, dimensions and hardware.



QTM-ID-8025

Coffee-gray teak



QTM-ID-8026

Light oak



QTM-ID-8027

Gray pearwood

Frame, finish and facing selected together. Printed motifs, inserts, glazing and ventilation details follow the approved sample.

Qitianmei Metal Products Co., Ltd.

QTM-F68I

68 integrated matching frame

A cutaway view of the selected frame and door-leaf construction.

Component guide

- Front frame profile
- Rear frame profile
- Perimeter seal
- Hinge
- Leaf perimeter member
- Aluminum honeycomb core
- Leaf face / decorative finish



Qitianmei Metal Products Co., Ltd.

Door-leaf thickness

45 mm

Front frame width / wall	68 mm / 1.4 mm
Rear frame width / wall	65 mm / 1.6 mm
Frame overlap on wall	40 mm
Face options	1.0 mm aluminum / aluminum-faced 2.8 mm SPC

Illustrative cutaway. Dimensions above refer to this configuration; confirm the final order drawing and hardware.

QTM-F68S

68 split matching frame

A cutaway view of the selected frame and door-leaf construction.

Component guide

- Front frame profile
- Rear frame profile
- Perimeter seal
- Hinge
- Leaf perimeter member
- Aluminum honeycomb core
- Leaf face / decorative finish



Qitianmei Metal Products Co., Ltd.

Door-leaf thickness

45 mm

Front frame width / wall	68 mm / 1.4 mm
Rear frame width / wall	65 mm / 1.3 mm
Main profile wall	1.6 mm
Frame overlap on wall	40 mm

Illustrative cutaway. Dimensions above refer to this configuration; confirm the final order drawing and hardware.

QTM-F68I / QTM-F68S

68 matching-frame collection

Select a design reference, then confirm the finish, dimensions and hardware.



QTM-ID-8028

Warm taupe



QTM-ID-8029

Dark walnut



QTM-ID-8030

Misty gray

Frame, finish and facing selected together. Printed motifs, inserts, glazing and ventilation details follow the approved sample.

Qitianmei Metal Products Co., Ltd.

QTM-F68I / QTM-F68S

68 matching-frame collection

Select a design reference, then confirm the finish, dimensions and hardware.



QTM-ID-8031

Sand-tone wood grain



QTM-ID-8032

Light oak



QTM-ID-8033

Red oak

Frame, finish and facing selected together. Printed motifs, inserts, glazing and ventilation details follow the approved sample.

Qitianmei Metal Products Co., Ltd.

QTM-F68I / QTM-F68S

68 matching-frame collection

Select a design reference, then confirm the finish, dimensions and hardware.



QTM-ID-8035

Gray pearwood



QTM-ID-8036

Warm taupe



QTM-ID-8037

Vision panel + louver

Frame, finish and facing selected together. Printed motifs, inserts, glazing and ventilation details follow the approved sample.

Qitianmei Metal Products Co., Ltd.

QTM-F68I / QTM-F68S

68 matching-frame collection

Select a design reference, then confirm the finish, dimensions and hardware.



QTM-ID-8038

Slim vision panel



QTM-ID-8039

Coffee-gray teak



QTM-ID-8050

Dark walnut

Frame, finish and facing selected together. Printed motifs, inserts, glazing and ventilation details follow the approved sample.

Qitianmei Metal Products Co., Ltd.

QTM-F68I / QTM-F68S

68 matching-frame collection

Select a design reference, then confirm the finish, dimensions and hardware.



QTM-ID-8051

Porcelain white



QTM-ID-8052

Vintage red wood grain



QTM-ID-8053

Gray pearwood

Frame, finish and facing selected together. Printed motifs, inserts, glazing and ventilation details follow the approved sample.

QTM-F68I / QTM-F68S

68 matching-frame collection

Select a design reference, then confirm the finish, dimensions and hardware.



QTM-ID-8055

Misty gray



QTM-ID-8056

Coffee-gray teak



QTM-ID-8057

Red oak

Frame, finish and facing selected together. Printed motifs, inserts, glazing and ventilation details follow the approved sample.

Qitianmei Metal Products Co., Ltd.

QTM-F68I / QTM-F68S

68 matching-frame collection

Select a design reference, then confirm the finish, dimensions and hardware.



QTM-ID-8058

Light oak



QTM-ID-8059

Porcelain white



QTM-ID-8060

Vintage red wood grain

Frame, finish and facing selected together. Printed motifs, inserts, glazing and ventilation details follow the approved sample.

Qitianmei Metal Products Co

QTM-F68I / QTM-F68S

68 matching-frame collection

Select a design reference, then confirm the finish, dimensions and hardware.



QTM-ID-8061

Sand-tone wood grain



QTM-ID-8062

Misty gray



QTM-ID-8063

Red oak

Frame, finish and facing selected together. Printed motifs, inserts, glazing and ventilation details follow the approved sample.

Qitianmei Metal Products Co.

QTM-F68I / QTM-F68S

68 matching-frame collection

Select a design reference, then confirm the finish, dimensions and hardware.



QTM-ID-8065

Light oak



QTM-ID-8066

Warm taupe



QTM-ID-8067

Warm taupe

Frame, finish and facing selected together. Printed motifs, inserts, glazing and ventilation details follow the approved sample.

Qitianmei Metal Products Co., Ltd.

QTM-F68I / QTM-F68S

68 matching-frame collection

Select a design reference, then confirm the finish, dimensions and hardware.



QTM-ID-8068

Gray pearwood



QTM-ID-8069

Misty gray



QTM-ID-8070

Gray pearwood

Frame, finish and facing selected together. Printed motifs, inserts, glazing and ventilation details follow the approved sample.

Qitianmei Metal Products Co., Ltd.

QTM-F68I / QTM-F68S

68 matching-frame collection

Select a design reference, then confirm the finish, dimensions and hardware.



QTM-ID-8071

Dark walnut



QTM-ID-8072

Light oak

Frame, finish and facing selected together. Printed motifs, inserts, glazing and ventilation details follow the approved sample.

Qitianmei Metal Products Co., Ltd.

QTM-FFI

Flush outer face. Inward swing.

A cutaway view of the selected frame and door-leaf construction.

Component guide

- Auxiliary frame
- Front frame profile
- Concealed hinge zone
- Perimeter seal
- Leaf perimeter member
- Aluminum honeycomb core
- Aluminum face sheet



Qitianmei Metal Products Co., Ltd.

Door-leaf thickness

53 mm

Front frame width / wall	39 mm / 1.6 mm
Outer frame overlap	10 mm
Auxiliary frame widths	25 / 30 / 35 / 40 mm; 1.4 mm wall
Face shown	1.0 mm aluminum; concealed hinge

Illustrative cutaway. Dimensions above refer to this configuration; confirm the final order drawing and hardware.

QTM-FFI / FLUSH OUTER FACE

Flush-face inward-opening doors

Select a design reference, then confirm the finish, dimensions and hardware.



QTM-ID-8073

Warm taupe



QTM-ID-8075

Porcelain white



QTM-ID-8076

Gray pearwood

Frame, finish and facing selected together. Printed motifs, inserts, glazing and ventilation details follow the approved sample.

Qitianmei Metal Products Co., Ltd.

QTM-FFI / FLUSH OUTER FACE

Flush-face inward-opening doors

Select a design reference, then confirm the finish, dimensions and hardware.



QTM-ID-8077

Warm taupe



QTM-ID-8078

Dark walnut



QTM-ID-8079

Misty gray

Frame, finish and facing selected together. Printed motifs, inserts, glazing and ventilation details follow the approved sample.

Qitianmei Metal Products Co., Ltd.

QTM-FFI / FLUSH OUTER FACE

Flush-face inward-opening doors

Select a design reference, then confirm the finish, dimensions and hardware.



QTM-ID-8080

Sand-tone wood grain



QTM-ID-8081

Light oak

Frame, finish and facing selected together. Printed motifs, inserts, glazing and ventilation details follow the approved sample.

Qitianmei Metal Products Co., Ltd.

QTM-FFI / APPLICATION VIEW

See the inward-opening arrangement.

The open view shows the leaf, frame and surrounding wall. Coordinate the frame position and final wall finish for the selected flush outer-face arrangement.



QTM-ID-8078 Dark walnut

Application illustration / design reference. Final appearance follows the approved finish and drawing.

QTM-FHI

Concealed frame. Inward swing.

A cutaway view of the selected frame and door-leaf construction.

Component guide

- Auxiliary frame
- Main frame profile
- Wall cladding
- Perimeter seal
- Leaf perimeter member
- Aluminum honeycomb core
- Decorative leaf facing



Qitianmei Metal Product

Door-leaf thickness

53 mm

Main profile wall	2.0 mm
Auxiliary frame widths	25 / 30 / 35 / 40 mm; 1.4 mm wall
Wall cladding shown	8 mm
Leaf facing shown	8 mm carbon-crystal decorative panel

Illustrative cutaway. Dimensions above refer to this configuration; confirm the final order drawing and hardware.

QTM-FHO

Concealed frame. Outward swing.

A cutaway view of the selected frame and door-leaf construction.

Component guide

- Auxiliary frame
- Main frame profile
- Wall cladding
- Perimeter seal
- Leaf perimeter member
- Aluminum honeycomb core
- Decorative leaf facing



Qitianmei Metal Products Co., Ltd.

Door-leaf thickness

53 mm

Main profile wall	2.0 mm
Auxiliary frame widths	25 / 30 / 35 / 40 mm; 1.4 mm wall
Wall cladding shown	8 mm
Leaf facing shown	8 mm carbon-crystal decorative panel

Illustrative cutaway. Dimensions above refer to this configuration; confirm the final order drawing and hardware.

CONCEALED DOOR / APPLICATION VIEW

One wall. A concealed opening.

A matching pale finish carries across the leaf and adjacent wall panels. The open view shows how the concealed doorway fits into the wall layout.



QTM-ID-8082 Porcelain white

Application illustration / design reference. Final appearance follows the approved finish and drawing.

CONCEALED DOOR / APPLICATION VIEW

A door within the wall grid.

The door outline works with the horizontal and vertical wall joints. A coordinated warm-taupe finish connects the leaf to the surrounding panels.



QTM-ID-8083 Warm taupe

Application illustration / design reference. Final appearance follows the approved finish and drawing.

CONCEALED DOOR / APPLICATION VIEW

Wood-grain wall integration.

A coordinated wood-grain appearance brings the door and wall panels into one scheme. Plan the finish, grain direction and wall-panel layout together.



QTM-ID-8085 Coffee-gray teak

Application illustration / design reference. Final appearance follows the approved finish and drawing.

CONCEALED DOOR / APPLICATION VIEW

A coordinated wall surface.

Dark wood-grain appearance connects the door to the wall scheme. The surrounding panel widths and joints form part of the concealed-door design.



QTM-ID-8086 Dark walnut

Application illustration / design reference. Final appearance follows the approved finish and drawing.

QTM-FN30 / FN40

30 / 40 narrow-frame options

A cutaway view of the selected frame and door-leaf construction.

Component guide

- Front frame profile
- Rear frame profile
- Perimeter seal
- Hinge
- Leaf perimeter member
- Aluminum honeycomb core
- Leaf face / decorative finish



Door-leaf thickness

53 mm

Front frame shown	40 mm; 1.4 mm profile wall
Rear frame shown	40 mm; 2.0 or 3.0 mm profile wall
Frame overlap on wall	23 mm
Leaf face shown	1.0 mm aluminum

Illustrative cutaway. Dimensions above refer to this configuration; confirm the final order drawing and hardware.

QTM-FM30 / FM40

Magnetic-seal frame options

A cutaway view of the selected frame and door-leaf construction.

Component guide

- Front and rear frame profiles
- Magnetic perimeter seal
- Mating magnetic strip
- Aluminum leaf perimeter
- Aluminum honeycomb core (inside leaf)
- Hinge
- 4 mm decorative facing



Qitianmei Metal Products Co., Ltd.

Door-leaf thickness

53 mm

Front / rear frame shown	40 / 40 mm
Rear profile wall options	2.0 / 3.0 mm
Sealing detail	Magnetic perimeter seal + mating strip
Leaf face shown	4 mm facing; material confirmed with order

Illustrative cutaway. Dimensions above refer to this configuration; confirm the final order drawing and hardware.

QTM-FN / QTM-FM

Narrow-frame door collection

Select a design reference, then confirm the finish, dimensions and hardware.



QTM-ID-8087

Porcelain white



QTM-ID-8088

Warm taupe



QTM-ID-8089

Light oak

Frame, finish and facing selected together. Printed motifs, inserts, glazing and ventilation details follow the approved sample.

Qitianmei Metal Products Co., Ltd.

QTM-F40L

40 frame. 1.4 mm profile wall.

A cutaway view of the selected frame and door-leaf construction.

Component guide

- Front frame profile
- Rear frame profile
- Perimeter seal
- Hinge
- Leaf perimeter member
- Aluminum honeycomb core
- Leaf face / decorative finish



Door-leaf thickness

50 mm

Front / rear frame width	40 / 40 mm
Front / rear profile wall	1.4 / 1.4 mm
Frame overlap on wall	28 mm
Core	Aluminum honeycomb

Illustrative cutaway. Dimensions above refer to this configuration; confirm the final order drawing and hardware.

QTM-F40L / APPLICATION VIEW

Wood grain. A defined frame.

A wood-grain leaf is paired with a contrasting dark frame. This configuration uses a 50 mm honeycomb leaf, a 40 mm frame and a 1.4 mm profile wall.



Qitianmei Metal Products Co., Ltd.

QTM-ID-8091 Coffee-gray teak

Application illustration / design reference. Final appearance follows the approved finish and drawing.

QTM-FSH

Single-sided casing. Honeycomb leaf.

A cutaway view of the selected frame and door-leaf construction.

Component guide

- Aluminum frame profile
- Aluminum leaf edge trim
- Perimeter seal
- Hinge
- Leaf perimeter reinforcement
- Aluminum honeycomb core
- Aluminum face sheet



Qitianmei Metal Products Co., Ltd.

Door-leaf thickness

45 mm

Frame width	55 mm
Profile wall options	1.3 / 1.6 mm
Frame overlap on wall	25 mm
Leaf face shown	1.0 mm aluminum

Illustrative cutaway. Dimensions above refer to this configuration; confirm the final order drawing and hardware.

QTM-FSH

Single-sided casing collection

Select a design reference, then confirm the finish, dimensions and hardware.



QTM-ID-8097

Finish as illustrated



QTM-ID-8098

Finish as illustrated



QTM-ID-8099

Warm taupe

Frame, finish and facing selected together. Printed motifs, inserts, glazing and ventilation details follow the approved sample.

Qitianmei Metal Products Co., Ltd.

QTM-F60D

60-series matching frame

A cutaway view of the selected frame and door-leaf construction.

Component guide

- Front frame profile
- Rear frame profile
- Perimeter seal
- Hinge
- Leaf perimeter member
- Aluminum honeycomb core
- Leaf face / decorative finish



Qitianmei Metal Products Co., Ltd.

Door-leaf thickness

45 mm

Front frame width / wall	52 mm / 1.4 mm
Rear frame width / wall	48 mm / 1.6 mm
Frame overlap on wall	30 mm
Leaf facing	Carbon-crystal decorative panel

Illustrative cutaway. Dimensions above refer to this configuration; confirm the final order drawing and hardware.

MATCHING-FRAME FINISHES

One finish. Frame and leaf.

12 finish references for the 40 matching and 68 integrated / split frame systems.



QTM-DF01

Light wood grain



QTM-DF02

Walnut

QTM-DF03

Porcelain white



QTM-DF04

Gray pearwood



QTM-DF05

Coffee-gray teak



QTM-DF06

Warm taupe



QTM-DF07

Misty gray



QTM-DF08

Light oak



QTM-DF09

Dark walnut



QTM-DF10

Sand-tone wood grain



QTM-DF11

Vintage red wood grain



QTM-DF12

Red oak

Qitianmei Metal Products Co., Ltd.

Printed and screen colors are selection references. Confirm appearance, grain direction, gloss and frame matching with physical samples.

QTM-F60D / DECORATIVE-FACING PALETTE

Decorative faces. Collection A.

A separate 16-finish selection for carbon-crystal decorative-facing configurations.

QTM-DC01

Khaki



QTM-DC02

Pale linear wood



QTM-DC03

Muted linear wood



QTM-DC04

Gray vertical grain



QTM-DC05

Taupe wood grain



QTM-DC06

Silver wood grain



QTM-DC07

Golden wood grain

QTM-DC08

Light sand gray



QTM-DC09

Dark gray



QTM-DC10

Soft warm gray



QTM-DC11

Natural oak look



QTM-DC12

Dark oak look



QTM-DC13

Smoky wood grain



QTM-DC14

Silver vertical grain



QTM-DC15

Muted walnut



QTM-DC16

Deep walnut

Qitianmei Metal Products Co., Ltd.

Printed and screen colors are selection references. Confirm appearance, grain direction, gloss and frame matching with physical samples.

QTM-F60D / DECORATIVE-FACING PALETTE

Decorative faces. Collection B.

A separate 16-finish selection for carbon-crystal decorative-facing configurations.



QTM-DC17

Misty light gray



QTM-DC18

Misty dark gray



QTM-DC19

Warm chestnut



QTM-DC20

Solid gray



QTM-DC21

Khaki



QTM-DC22

Light vertical grain



QTM-DC23

Warm gray wood

QTM-DC24

Warm white



QTM-DC25

Golden oak look



QTM-DC26

Red cherry look



QTM-DC27

Pale warm wood



QTM-DC28

Taupe vertical grain



QTM-DC29

Soft striped grain



QTM-DC30

Gray oak look



QTM-DC31

Deep walnut grain



QTM-DC32

Elegant walnut

Printed and screen colors are selection references. Confirm appearance, grain direction, gloss and frame matching with physical samples.

Qitianmei Metal Products Co., Ltd

QTM-FSG

Single-sided casing. Glazed leaf.

A cutaway view of the selected frame and door-leaf construction.

Component guide

- Aluminum frame profile
- Aluminum glazing stile
- Perimeter seal
- 8 mm glass infill



Glass specification

8 mm glass

Frame width	55 mm
Profile wall options	1.3 / 1.6 mm
Frame overlap on wall	25 mm
Leaf type	Framed glass; no honeycomb core

Illustrative cutaway. Dimensions above refer to this configuration; confirm the final order drawing and hardware.

QTM-FSG / COORDINATED GLAZED DOORS

Glazed-door collection

Select a design reference, then confirm the finish, dimensions and hardware.



QTM-ID-8093

Warm taupe / reeded glass



QTM-ID-8095

Porcelain white / grille detail



QTM-ID-8096

Black / 8 mm glass

Coordinated framed glass doors. These glazed leaves are a separate product type from aluminum honeycomb leaves.

Qitianmei Metal Products Co., Ltd.

QTM-FSG / APPLICATION VIEW

Texture in an interior setting.

Reeded glass gives a textured view through the doorway. The interior setting helps compare this framed glazed option with a non-glazed honeycomb door leaf.



QTM-ID-8093 Warm taupe / reeded glass

Application illustration / design reference. Final appearance follows the approved finish and drawing.

QTM-FSG / APPLICATION VIEW

A glazed doorway in the room.

Black framing defines the doorway within the interior scheme. This glazed-leaf configuration is specified separately from the aluminum honeycomb door range.



QTM-ID-8096 Black / 8 mm glass

Application illustration / design reference. Final appearance follows the approved finish and drawing.

COMPONENTS / ALUMINUM EXTRUSIONS

Profiles for the selected system.

Cross-section dimensions and profile mass refer to the extrusion, not the complete door.





QTM-PF-01

Flanged box profile

40 x 28.8 mm overall; body width 25.8 mm; flange projection shown: 7.1 mm. Wall: 1.2 mm. 0.363 kg/m.





QTM-PF-02

Grooved box profile

40 x 28.8 mm overall; body width 33 mm. Wall: 0.8 mm. 0.301 kg/m.





QTM-PF-03

Grooved box profile

40 x 28.8 mm overall; body width 34 mm. Wall: 0.8 mm. 0.322 kg/m.





QTM-PF-04

Grooved box profile

40 x 28.8 mm overall; body width 36 mm. Wall: 0.8 mm. 0.322 kg/m.





QTM-PF-05

Grooved box profile

41.4 x 28.8 mm overall; body width 37.4 mm. Wall: 0.9 mm. 0.371 kg/m.

Select profiles against the door-set drawing. Where a value is not shown, confirm it before ordering.

Qitianmei Metal Products Co., Ltd.

COMPONENTS / ALUMINUM EXTRUSIONS

Profiles for the selected system.

Cross-section dimensions and profile mass refer to the extrusion, not the complete door.





QTM-PF-06

Rectangular tube

80 x 37.4 mm. Wall: 1.0 mm. 0.63 kg/m.





QTM-PF-07

Grooved box profile

41.38 x 28.8 mm overall; body width 39.4 mm. Wall: 1.0 mm. 0.381 kg/m.





QTM-PF-08

Rectangular tube

80 x 39.4 mm. Wall: 1.0 mm. 0.641 kg/m.





QTM-PF-09

Meeting-stile trim for unequal paired doors

47 x 17 mm overall; upper section width 42.2 mm. 0.211 kg/m.





QTM-PF-10

Shallow channel trim

52 x 3.8 mm overall; inner width 50.2 mm. Wall: 1.2 mm. 0.17 kg/m.

Select profiles against the door-set drawing. Where a value is not shown, confirm it before ordering.

Qitianmei Metal Products Co., Ltd.

COMPONENTS / ALUMINUM EXTRUSIONS

Profiles for the selected system.

Cross-section dimensions and profile mass refer to the extrusion, not the complete door.





QTM-PF-11

Shallow channel trim

53 x 3.8 mm overall; inner width 51 mm. Wall: 1.2 mm. 0.17 kg/m.





QTM-PF-12

Offset edge trim

56.1 x 14.6 mm overall; lower section width 53 mm. Wall: 1.2 mm. 0.221 kg/m.





QTM-PF-13

Shallow edge trim

44.2 x 4.15 mm. Wall: 1.0 mm. 0.138 kg/m.





QTM-PF-14

Ribbed edge trim

44 x 6.5 mm overall; inner width 42.2 mm. 0.159 kg/m.





QTM-PF-15

Twin-rib edge trim

45 x 13.85 mm overall; dimensions shown within section: 33.8 mm and 5 mm. Wall: 1.4 mm. 0.295 kg/m.

Select profiles against the door-set drawing. Where a value is not shown, confirm it before ordering.

Qitianmei Metal Products Co., Ltd.

COMPONENTS / PROFILES AND PANELS

Profiles and panel materials.

Choose compatible profiles and panel materials for the selected door system.





QTM-PF-16

Rib-free edge trim

44.2 x 6.2 mm. Wall: 1.2 mm. 0.167 kg/m.



QTM-PF-17

Door-head auxiliary profile





QTM-PF-18

Reinforcing rib profile

40 x 14.5 mm. Wall: 1.3 mm. 0.305 kg/m.



QTM-PF-19

SPC and aluminum panel

8 mm thick; sheet size 1220 x 2440 mm.



QTM-PF-20

All-aluminum panel

8 mm thick; sheet size 1220 x 2440 mm.

Select materials against the door-set drawing. Where a value is not shown, confirm it before ordering.

Qitianmei Metal Products Co., Ltd.

COMPONENTS / HARDWARE

Coordinate the moving parts.

Select the lock, hinge, brackets and seals for the chosen door-set configuration.



QTM-HW-01

Separate-rose lever lockset



QTM-HW-02

One-piece backplate lever lockset



QTM-HW-03

Shallow return channel

30.7 x 8.2 mm; wall: 0.7 mm; 0.096 kg/m.



QTM-HW-04

Two-way adjustable hinge



QTM-HW-05

Three-way adjustable hinge



QTM-HW-06

Flag hinge



QTM-HW-07

Offset hinge



QTM-HW-08

Color-matched flag hinge

Hardware appearance and color are shown for selection. Compatibility and the items included follow the confirmed order.

Qitianmei Metal Products Co., Ltd.

COMPONENTS / HARDWARE

Coordinate the moving parts.

Select the lock, hinge, brackets and seals for the chosen door-set configuration.



QTM-HW-09

Perimeter seal for aluminum doors



QTM-HW-10

Perimeter seal for aluminum-and-wood doors



QTM-HW-11

Perimeter seal for concealed-frame doors



QTM-HW-12

Corner connector, type 1



QTM-HW-13

Corner connector, type 2



QTM-HW-14

Flush-face inward-swing frame connector



QTM-HW-15

Concealed-frame corner connector



QTM-HW-16

Concealed door subframe connector

Qitianmei Metal Products Co., Ltd.

Hardware appearance and color are shown for selection. Compatibility and the items included follow the confirmed order.

COMPONENTS / HARDWARE

Coordinate the moving parts.

Select the lock, hinge, brackets and seals for the chosen door-set configuration.



QTM-HW-17

Subframe corner connector



QTM-HW-18

Glass door subframe corner bracket



QTM-HW-19

Flat corner plate, type 1



QTM-HW-20

Flat corner plate, type 2



QTM-HW-21

Flat corner plate, type 3



QTM-HW-22

Universal subframe corner connector



QTM-HW-23

Optional matching corner piece

Qitianmei Metal Products Co., Ltd.

Hardware appearance and color are shown for selection. Compatibility and the items included follow the confirmed order.

PREPARE YOUR DOOR SCHEDULE

Measure the finished opening.

Provide each reading, the wall finish build-up and a photo or drawing of unusual wall returns.



W1-W3: top / middle / bottom
H1-H3: left / center / right

Opening width	Measure top / middle / bottom. Use the smallest reading for review.
Opening height	Measure left / center / right. Use the smallest reading for review.
Finished wall thickness	Measure at least three positions. Record the largest reading and all finish layers.

Finished floor level
Include tiles, underlay and the final floor build-up when measuring the opening height.

Qitianmei Metal Products Co., Ltd.

Corners, T-junctions and limited wall returns

Show the available return on each side of the opening and identify nearby walls, furniture or services. A supplementary return may be needed for the chosen casing and fixing method; its size follows the actual frame drawing.

Final manufacturing sizes and installation clearances are agreed from the approved door schedule. Do not deduct one universal allowance from every opening.

OPENING ARRANGEMENT

Specify the viewpoint and swing.

Plan-view diagrams below use a fixed viewpoint: stand outside the room and face the opening.



Hinges left / opens into room



Hinges right / opens into room



Hinges left / opens toward viewer



Hinges right / opens toward viewer

Qitianmei Metal Products Co., Ltd.

Send a marked plan

Identify room side, hinge side, opening direction, door reference, frame system and clear opening. Confirm the same viewpoint on your drawings and order schedule.

PROJECT INQUIRY

Build your door specification.

Send your door references and schedule. We will review the required configuration with you.

Design & quantity	QTM-ID reference / finish / number of door sets
Opening & wall	Opening width and height / finished wall thickness / wall returns
Frame & leaf	Frame system / leaf thickness / facing construction
Swing & hardware	Viewpoint and handing / lock / hinges / seals / accessories
Delivery & scope	Destination / required components or assembled door sets / project drawings

Confirm one complete door-set specification before production: size, frame, leaf, finish, hardware and supplied items. Decorative motifs, face options and matching finishes follow the approved sample and quotation.

Qitianmei Metal Products Co., Ltd.

Qitianmei Metal Products Co., Ltd.

Email ryan@qitianmeialu.com

WhatsApp +86 135 6013 8196

Website qitianmeialu.com

WhatsApp

Foshan, China | November 2026 | English product collection